

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	38962	(Base OR stand OR support) WITH (PDA OR (personal NEAR digital NEAR assistance) OR ((mobile OR hand\$1held OR wire\$1less) NEAR3 (device OR terminal OR phone OR telephone OR terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/19 10:05
S45 9	50	S458 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:26
S45 8	73	S456 AND ((duck\$3 OR cradle) AND (e\$1mail OR (electronic NEAR2 mail)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:26
S45 7	13	S456 AND ((duck\$3 OR cradle) SAME (e\$1mail OR (electronic NEAR2 mail)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:26
S2	26786	S1 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:26
S45 6	6071	S450 OR S451	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:18
S45 3	6	S452 AND ((duck\$3 OR cradle) SAME (e\$1mail OR (electronic NEAR2 mail)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:18
S45 0	5788	(709/205,206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 18:18
S45 5	8	S452 AND ((duck\$3 OR cradle) AND (e\$1mail OR (electronic NEAR2 mail)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:17
S45 4	0	S452 AND ((duck\$3 OR cradle) WITH (e\$1mail OR (electronic NEAR2 mail)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 18:17
S45 2	335	(710/303,304).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 18:13
S14 7	4852	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 18:10

S36 1	5059	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 18:09
S44 9	107	S448 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 15:47
S44 8	204	(dock\$3 OR base OR cradle) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 15:32
S44 7	17	S446 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 15:32
S25 7	193	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 15:28
S44 6	21	(dock\$3 OR cradle)WITH e\$1mail WITH (function OR access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S44 5	12	S444 AND S443	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S44 4	140	(dock\$3 OR cradle)SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S44 3	836	((710/303) or (709/248)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:35
S44 2	32	S392 AND stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S44 1	8	(filter\$3 OR discriminat\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S44 0	3	S388 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S43 9	2	S386 SAME (record SAME append\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S438	2	S434 AND (append\$3 SAME file) AND record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S437	2	S434 AND (append\$3 SAME file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S436	13	(append\$3 NEAR4 file)WITH format WITH area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S435	2	S434 AND (append\$3 NEAR4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S434	2	(mail OR e\$1mail)WITH append\$3 WITH file WITH format WITH index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S433	16	S384 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S432	15	S431 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S431	26	S382 SAME (HTML OR text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S430	23	S382 WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S429	5	filter\$3 WITH E\$1mail WITH format WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S428	12	(classify\$3 OR discriminat\$3 OR filter\$3) WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S427	3	classify\$3 WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S426	5	S380 AND ((fileter\$3 OR discriminat\$3)SAME format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S42 5	6	S380 SAME (fileter\$3 OR discriminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S42 4	13	S379 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S42 3	34	(discriminat\$3 OR filter\$3) WITH classify\$3 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S42 2	27	S378 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S42 1	21	S377 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S42 0	12	(mail OR e\$1mail)SAME (discriminat\$3 OR filter\$3) SAME (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S41 9	17	S372 AND (e-mail OR email).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S41 8	14	S370 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S41 7	24	S368 AND (e-mail OR email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S41 6	16	S364 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S41 5	3	S414 SAME PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S41 4	28	(cradle OR dock) SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S41 3	7	S363 AND dock\$3 AND PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S41 2	13	cradle SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S41 1	9	S362 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S41 0	9	S361 AND dock\$3 AND cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 9	6	S360 AND S361	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 8	2	S358 AND S356	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S40 7	23	S357 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 6	17	S354 SAME (email OR e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 5	5	(base OR dock\$3)SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 4	7	S349 SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 3	7	S348 AND (e\$1mail WITH (access OR functional\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 2	78	S346.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 1	14	S341 AND S344	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S40 0	3	S335 SAME (dock\$3 OR cradle)SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S39 9	57	(expand\$3 OR increas\$3) AND (capacity OR memory) AND e\$1mail AND S340	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 8	10	S336 AND S337	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 7	1	S373 SAME text SAME HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 6	1	(sender OR from) SAME (receiver OR to OR CC) SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 5	1	sender SAME receiver SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 4	1	S393 AND dock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 3	23	S357 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 2	35	S391 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 1	63	(filter\$3 OR discriminat\$3 OR Siev\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S39 0	8	(filter\$3 OR discriminat\$3 OR Siev\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 9	62	(filter\$3 OR discriminat\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 8	249	((mail OR e\$1mail) NEAR2 index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 7	2	S386 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S38 6	195	mail NEAR2 index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 5	69	(mail OR e\$1mail)WITH append\$3 WITH file WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 4	20	S383 SAME append\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 3	1095	(mail OR e\$1mail)WITH index\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 2	98	S381 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 1	3355	(mail OR e\$1mail)WITH (discriminat\$3 OR filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S38 0	230	(e\$1mail OR mail)NEAR2 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 9	169	index\$3 WITH (email OR e-mail) WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 8	43	(Discriminat\$3 OR distinguish\$3 OR separate\$3 OR categoriz\$3 OR classify\$3) WITH (e\$1mail OR mail) WITH format SAME (text OR HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 7	26	S375 SAME storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 6	125	S375 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 5	152	(mail OR e\$1mail)NEAR4 discrimination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 4	1	(mail OR e\$1mail)NEAR6 (discriminat\$3 OR filter\$3) NEAR3 (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S37 3	140	(mail OR e\$1mail)discriminat\$3 NEAR3 (unit OR means OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 2	22939	S371.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 1	54571	(dock\$3 NEAR3 station) OR cradle OR (base NEAR4 (PDA OR handheld OW wire\$1less))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S37 0	48	S369 SAME memory SAME function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 9	2532	PDA WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 8	75	S367 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 7	155	S366 SAME (PDA OR wire\$1less OR hand\$1held)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 6	769	memory WITH (cradle OR dock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 5	1	memory WITH (cradle OR dock) WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 4	39	cradle SAME email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 3	20	cradle WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 2	31	S359 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S36 0	99	S359 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S35 9	221	(cradle OR dock OR base)WITH (email OR e-mail)WITH (PDA OR (hand\$1held NEAR3 device) OR mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S35 8	84	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S35 7	34	S355 AND S356	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S35 6	5059	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:35
S35 5	193	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S35 4	907	dock\$3 NEAR4 cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S35 3	0	(base OR dock\$3)SAME e\$1mail SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S35 2	0	(base OR dock\$3)WITH e\$1mail WITH cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S35 1	0	(base OR dock\$3)NEAR2 e\$1mail NEAR4 cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S35 0	45	S349 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 9	81	dock WITH PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 8	60	S347 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 7	78	S346.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S34 6	422	(base OR dock\$3)NEAR2 E\$1MAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 5	121	(base OR dock\$3)NEAR2 EMAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 4	1286	S342.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 3	282	S342.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 2	8829	e\$1mail NEAR4 (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 1	459385	(dock\$3 OR cradle OR base).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S34 0	318	S339 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 9	508	S335 SAME (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 8	3041	S335 AND (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 7	90	(expand\$3 OR increas\$3) SAME (capacity OR memory) SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 6	27404	S335 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 5	44628	(Base OR stand OR support) WITH (PDA OR (personal NEAR digital NEAR assistance) OR ((mobile OR hand\$1held OR wire\$1less) NEAR3 (device OR terminal OR phone OR telephone OR terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 4	32	S333 AND stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S33 3	35	S332 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 2	63	(filter\$3 OR discriminat\$3 OR Siev\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 1	8	(filter\$3 OR discriminat\$3 OR Siev\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S33 0	8	(filter\$3 OR discriminat\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 9	62	(filter\$3 OR discriminat\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 8	3	S327 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 7	249	((mail OR e\$1mail) NEAR2 index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 6	2	S324 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 5	2	S324 SAME (record SAME append\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 4	195	mail NEAR2 index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 3	2	S319 AND (append\$3 SAME file) AND record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 2	2	S319 AND (append\$3 SAME file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S32 1	13	(append\$3 NEAR4 file)WITH format WITH area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S320	2	S319 AND (append\$3 NEAR4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S319	2	(mail OR e\$1mail)WITH append\$3 WITH file WITH format WITH index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S318	69	(mail OR e\$1mail)WITH append\$3 WITH file WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S317	16	S316 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S316	20	S315 SAME append\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S315	1095	(mail OR e\$1mail)WITH index\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S314	15	S313 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S313	26	S311 SAME (HTML OR text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S312	23	S311 WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S311	98	S310 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S310	3355	(mail OR e\$1mail)WITH (discriminat\$3 OR filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S309	5	filter\$3 WITH E\$1mail WITH format WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S308	12	(classify\$3 OR discriminat\$3 OR filter\$3) WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S30 7	3	classify\$3 WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S30 6	5	S304 AND ((fileter\$3 OR discriminat\$3)SAME format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S30 5	6	S304 SAME (fileter\$3 OR discriminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S30 4	230	(e\$1mail OR mail)NEAR2 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S30 3	13	S302 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S30 2	169	index\$3 WITH (email OR e-mail) WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S30 1	34	(discriminat\$3 OR filter\$3) WITH classify\$3 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S30 0	27	S299 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 9	43	(Discriminat\$3 OR distinguish\$3 OR separate\$3 OR categoriz\$3 OR classify\$3) WITH (e\$1mail OR mail) WITH format SAME (text OR HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 8	21	S297 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 7	26	S295 SAME storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 6	125	S295 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 5	152	(mail OR e\$1mail)NEAR4 discrimination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S29 4	12	(mail OR e\$1mail)SAME (discriminat\$3 OR filter\$3) SAME (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 3	1	(mail OR e\$1mail)NEAR6 (discriminat\$3 OR filter\$3) NEAR3 (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 2	1	S289 SAME text SAME HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 1	1	(sender OR from) SAME (receiver OR to OR CC) SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S29 0	1	sender SAME receiver SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 9	140	(mail OR e\$1mail)discriminat\$3 NEAR3 (unit OR means OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 8	17	S287 AND (e-mail OR email).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 7	22939	S286.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 6	54571	(dock\$3 NEAR3 station) OR cradle OR (base NEAR4 (PDA OR handheld OW wire\$1less))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 5	14	S284 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 4	48	S283 SAME memory SAME function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 3	2532	PDA WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 2	24	S281 AND (e-mail OR email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S28 1	75	S280 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S28 0	155	S279 SAME (PDA OR wire\$1less OR hand\$1held)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 9	769	memory WITH (cradle OR dock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 8	1	memory WITH (cradle OR dock) WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 7	16	S276 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 6	39	cradle SAME email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 5	3	S274 SAME PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S27 4	28	(cradle OR dock) SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S27 3	7	S272 AND dock\$3 AND PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 2	20	cradle WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 1	13	cradle SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S27 0	9	S269 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S26 9	31	S264 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S26 8	9	S266 AND dock\$3 AND cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S26 7	6	S265 AND S266	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S26 6	5059	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:35
S26 5	99	S264 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S26 4	221	(cradle OR dock OR base)WITH (email OR e-mail)WITH (PDA OR (hand\$1held NEAR3 device) OR mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S26 3	1	S260 AND dock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S26 2	2	S261 AND S258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S26 1	84	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/07/18 14:35
S26 0	23	S259 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S25 9	34	S257 AND S258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S25 8	5059	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/18 14:35
S25 6	17	S255 SAME (email OR e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S25 5	907	dock\$3 NEAR4 cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S25 4	5	(base OR dock\$3)SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S25 3	0	(base OR dock\$3)SAME e\$1mail SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S25 2	0	(base OR dock\$3)WITH e\$1mail WITH cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S25 1	0	(base OR dock\$3)NEAR2 e\$1mail NEAR4 cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S25 0	7	S248 SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 9	45	S248 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 8	81	dock WITH PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 7	7	S246 AND (e\$1mail WITH (access OR functional\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 6	60	S245 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 5	78	S244.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 4	422	(base OR dock\$3)NEAR2 E\$1MAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 3	121	(base OR dock\$3)NEAR2 EMAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 2	14	S238 AND S241	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S24 1	1286	S239.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S24 0	282	S239.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 9	8829	e\$1mail NEAR4 (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 8	459385	(dock\$3 OR cradle OR base).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 7	3	S229 SAME (dock\$3 OR cradle)SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 6	57	(expand\$3 OR increas\$3) AND (capacity OR memory) AND e\$1mail AND S235	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 5	318	S234 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 4	508	S229 SAME (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 3	3041	S229 AND (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 2	10	S230 AND S231	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 1	90	(expand\$3 OR increas\$3) SAME (capacity OR memory) SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S23 0	27404	S229 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35
S22 9	44628	(Base OR stand OR support) WITH (PDA OR (personal NEAR digital NEAR assistance) OR ((mobile OR hand\$1held OR wire\$1less) NEAR3 (device OR terminal OR phone OR telephone OR terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/07/18 14:35

S22 8	17	S227 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 18:26
S22 7	20	(dock\$3 OR cradle)WITH e\$1mail WITH (function OR access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 18:26
S20 6	16	S205 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 18:26
S22 5	135	(dock\$3 OR cradle)SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 18:25
S22 6	11	S225 AND S224	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 18:22
S12 6	3	S118 SAME (dock\$3 OR cradle)SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 18:21
S22 4	813	((710/303) or (709/248)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 17:39
S22 3	32	S222 AND stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S22 2	35	S221 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S22 1	56	(filter\$3 OR discriminat\$3 OR Siev\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S22 0	8	(filter\$3 OR discriminat\$3 OR Siev\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 9	8	(filter\$3 OR discriminat\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 8	55	(filter\$3 OR discriminat\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S21 7	3	S216 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 6	231	((mail OR e\$1mail) NEAR2 index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 5	2	S213 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 4	2	S213 SAME (record SAME append\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 3	186	mail NEAR2 index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 2	2	S208 AND (append\$3 SAME file) AND record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 1	2	S208 AND (append\$3 SAME file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S21 0	13	(append\$3 NEAR4 file)WITH format WITH area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S20 9	2	S208 AND (append\$3 NEAR4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S20 8	2	(mail OR e\$1mail)WITH append\$3 WITH file WITH format WITH index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S20 7	65	(mail OR e\$1mail)WITH append\$3 WITH file WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S20 5	20	S204 SAME append\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S20 4	1039	(mail OR e\$1mail)WITH index\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S203	15	S202 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S202	26	S200 SAME (HTML OR text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S201	23	S200 WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S200	94	S199 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S199	3213	(mail OR e\$1mail)WITH (discriminat\$3 OR filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S198	5	filter\$3 WITH E\$1mail WITH format WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S197	10	(classify\$3 OR discriminat\$3 OR filter\$3) WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S196	3	classify\$3 WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S195	5	S193 AND ((fileter\$3 OR discriminat\$3)SAME format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S194	6	S193 SAME (fileter\$3 OR discriminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S193	212	(e\$1mail OR mail)NEAR2 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S192	12	S191 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S191	158	index\$3 WITH (email OR e-mail) WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S190	34	(discriminat\$3 OR filter\$3) WITH classify\$3 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S189	27	S188 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S188	42	(Discriminat\$3 OR distinguish\$3 OR separate\$3 OR categoriz\$3 OR classify\$3) WITH (e\$1mail OR mail) WITH format SAME (text OR HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S187	21	S186 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S186	26	S184 SAME storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S185	125	S184 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S184	149	(mail OR e\$1mail)NEAR4 discrimination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S183	12	(mail OR e\$1mail)SAME (discriminat\$3 OR filter\$3) SAME (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S182	1	(mail OR e\$1mail)NEAR6 (discriminat\$3 OR filter\$3) NEAR3 (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S181	1	S178 SAME text SAME HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S180	1	(sender OR from) SAME (receiver OR to OR CC) SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S179	1	sender SAME receiver SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S178	136	(mail OR e\$1mail)discriminat\$3 NEAR3 (unit OR means OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S17 7	17	S176 AND (e-mail OR email).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S17 6	22572	S175.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S17 5	53457	(dock\$3 NEAR3 station) OR cradle OR (base NEAR4 (PDA OR handheld OW wire\$1less))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S17 4	14	S173 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S17 3	44	S172 SAME memory SAME function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S17 2	2315	PDA WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S17 1	24	S170 AND (e-mail OR email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S17 0	74	S169 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S16 9	125	S168 SAME (PDA OR wire\$1less OR hand\$1held)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S16 8	724	memory WITH (cradle OR dock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S16 7	0	memory WITH (cradle OR dock) WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S16 6	16	S165 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S16 5	36	cradle SAME email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S16 4	2	S163 SAME PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/05/11 16:35
S16 3	24	(cradle OR dock) SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/05/11 16:35
S16 2	6	S161 AND dock\$3 AND PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S16 1	18	cradle WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S16 0	12	cradle SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S15 9	9	S158 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S15 8	28	S153 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S15 7	9	S155 AND dock\$3 AND cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S15 6	6	S154 AND S155	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S15 5	4852	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 16:35
S15 4	98	S153 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S15 3	204	(cradle OR dock OR base)WITH (email OR e-mail)WITH (PDA OR (hand\$1held NEAR3 device) OR mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S15 2	1	S149 AND dock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S15 1	2	S150 AND S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/05/11 16:35
S15 0	81	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/05/11 16:35
S14 9	23	S148 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 8	34	S146 AND S147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 6	183	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 5	17	S144 SAME (email OR e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 4	848	dock\$3 NEAR4 cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 3	5	(base OR dock\$3)SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 2	0	(base OR dock\$3)SAME e\$1mail SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 1	0	(base OR dock\$3)WITH e\$1mail WITH cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S14 0	0	(base OR dock\$3)NEAR2 e\$1mail NEAR4 cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 9	7	S137 SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 8	45	S137 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S13 7	80	dock WITH PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 6	7	S135 AND (e\$1mail WITH (access OR functional\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 5	60	S134 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 4	78	S133.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 3	400	(base OR dock\$3)NEAR2 E\$1MAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 2	112	(base OR dock\$3)NEAR2 EMAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 1	12	S127 AND S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S13 0	1214	S128.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 9	271	S128.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 8	8384	e\$1mail NEAR4 (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 7	452665	(dock\$3 OR cradle OR base).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 5	57	(expand\$3 OR increas\$3) AND (capacity OR memory) AND e\$1mail AND S124	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 4	314	S123 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35

S12 3	484	S118 SAME (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 2	2827	S118 AND (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 1	10	S119 AND S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S12 0	80	(expand\$3 OR increas\$3) SAME (capacity OR memory) SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S11 9	27185	S118 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35
S11 8	42314	(Base OR stand OR support) WITH (PDA OR (personal NEAR digital NEAR assistance) OR ((mobile OR hand\$1held OR wire\$1less) NEAR3 (device OR terminal OR phone OR telephone OR terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/05/11 16:35